

Exported Listing




Sikorsky S76C++

Contact Seller For Price

Manufacturer	Sikorsky
Category	n/a
Configuration	Air medical
Year	2007
Time	6791
Price	n/a
Serial Number	760662
Registration Number	PK-TVA



 12 Pax Interior - HUMS - Emergency Pop-out Floats - Engines Enrolled on (Support by Hour) Safran SBH - CVR/ FDR - EGPWS - Weather Radar - Dual Inlet Barrier Filters - Heated Glass Windshields





For inquires you can reach the seller at:

Email Address: joel@garzaaviation.com | Phone Number: 1-512-587-6522

Avionics

- Master Warning Panel
- Dual Integrated Instrument Display System (IIDS)
- Honeywell EDZ-756 Four 5x6" EFIS Displays
- * Dual Electronic Attitude Display System (EADS)
- * Dual Horizontal Situation Indicator (EHSI)
- Dual Display Control
- Standby Attitude Display Indicator
- Backup Airspeed Indicator
- Dual Audio Panels
- Honeywell SPZ-7600 4-Axis Dual Digital Flight Control System (DDAFCS)
- Dual Attitude Heading Reference Systems (AHRS)
- Honeywell FZ-706 AFCS Flight Director/ Autopilot
- Dual Collins VHF-22A Comms
- Dual Collins VIR-32A Navs w/VOR/glideslope/marker beacon
- Garmin GPS-500 GPS
- Honeywell KRX-1053 HF Transceiver
- Honeywell Mark XXII EPGWS
- Collins ALT-1000 w/audio/visual alert Radar Altimeter
- Traffic Advisory System TAS
- Trig TT22 Mode C or S Transponder w/ADS-B
- Honeywell Primus 660 Color Weather Radar
- Honeywell KRX-1053 Hi Frequency
- Universal Avionics CVR-120 (Cockpit Voice Recorder) CVR
- Penny & Giles Multipurpose (Flight Data Recorder) CVR/FDR
- Collins DME-42 DME w/ IND-42A Indicator
- Collins ADF-462 ADF
- IVSI

Equipment

- Dual Flight Controls
- Heated Glass Windshields
- Bleed Air Heating and Defogging
- Flight Deck Heater and Vent Blower

For inquires you can reach the seller at:

Email Address: joel@garzaaviation.com | Phone Number: 1-512-587-6522

- Ram Air Ventilation
- Dual Windshield Wipers
- Dual Crew Ejectable Cockpit Doors
- Dual Passenger Hinged Doors
- Baggage Compartment w/ hinged doors both sides
- Chadwick-Helmut EVXP Vibration Monitoring- HUMS
- FDAP Manual 1.1 Flight Data Monitoring
- Pilot and Copilot Seats w/ 5 Point Restraint Harness
- Passenger Seats w/ 4 Point Restraint Harness
- 12 Passenger Seats
- Engine Dual Inlet Barrier Filters
- Fuel Total Capacity 281 Gallons
- Aux Fuel Tank (available when required)
- Low Level Fuel Warning System
- Dual Engine Fire Detection and Extinguishing System
- Gearbox Magnetic Chip Connectors with Fuzz Burn
- Engine Water Wash System
- Rotor Brake
- High Visibility Rotor Blades
- Dual 200 amp starter generators
- Single 44 amp-hour Battery
- Controllable Landing Light
- Fixed Landing Light on RH Main Gear
- Skytrack ISAT-200R Satellite Tracking System
- Altitude Voice Alert Device
- Underwater Locator Beacon Sonar Transmitter
- ADS-B Out
- Emergency Pop-out Floats
- Fuselage Floats w/Auto Inflation
- Emergency Pop-out Windows
- (Hel. Emergency Egress Lighting System) HEELS
- Emergency Exit Lights
- Life Rafts w/Radio/Beacon/Transponder
- External Mounted Rafts (2)

- Halon Fire Extinguisher (2)
- Litter Kit (available)
- First Aid Kit (2)
- Medical Evacuation Kit
- Six Speaker, two per row, Public Address System
- Artex C406-NHM ELT

Interior

- 12 Pax Seats w/ 4 point Shoulder Harness Restraints; Fabric Seats; or Medevac Configuration

Exterior

- White w/Blue and Red

General Characteristics

- Baggage Compartment: Hinged Door Two Sides; 600 lbs Max

- Empty Weight: 7780 lbs- Gross Weight: 11700 lbs

- Useful Load Standard: 2500 lbs

Disclaimer

Specifications subject to verification upon inspection. Aircraft may be withdrawn from market, sold without notice.

The descriptions and/or specifications provided are for introductory information only and do not imply any warranties or representations. The Purchaser is responsible for verification of specifications upon inspection. The Helicopter is offered subject to prior sale, lease or withdrawal from the market without prior notice.